

The managing Director

.....

Kigali, Rwanda

Dear

RE: Call For OFFERS/BIDS

Rwanda Engineering and manufacturing corporation (REMCO) would like to procure some items/materials (**Metallics**) as mentioned in the details to follow, please prepare us an offer /bid following the details therein and send to us starting **26th /07/2024**, local time. kindly send to the Email: procurement@remco.rw

We are looking forward to receiving your highly competitive offers /bids.

Yours Sincerely

John RUGAMBA


CEO





Tender Notice (TN) Invitation for Bids (IFB)
Tender For supply of METALLICS To Remco
26/07/C/REMCO/FY/2024

1. Rwanda Engineering and manufacturing corporation (Remco) (hereinafter called client) would like to procure **METALLICS**.
2. Remco invites eligible bidders to submit bids for the supply of **METALLICS** as indicated in details in the attached documents.
3. The tender document in English may be found attached on to this advert, or contact procurement@remco.rw the documents are for free and can be accessed by any willing bidder.
4. Tender document may be obtained on any working day from **26th /07/2024** to **10/08 /2024, 5:00 Pm local Time**.
5. Bids Shall not be accompanied by any bid security. Enquiries regarding this tender may be addressed to the CEO of REMCO on the address P.O. Box 2775, Kigali Rwanda ,252505577, info@remco.rw, www.remco.rw
6. Well prepared bids in response to the details included in the attachments must reach the email procurement@remco.rw, **not later than 10 th /08 / 2024 ,5:00PM** local time. Late bids will be rejected.
7. The Tender committee of Remco shall open the bids the next day in the absentia of bidders or their representatives.
8. The soft bids must indicate the tender name and title
9. Bidding will be conducted in accordance to the law of Rwanda and the Internal rules and regulations of Remco



CEO

1. Back ground

Rwanda Engineering and Manufacturing Corporation (REMCO) is a company that started in 2018 and is owned by the government of Rwanda. REMCO was established to manufacture machines, equipment and spare parts that were previously imported to serve in the sector of Agriculture Mechanization, Construction, Mining, Automotive, Energy, Defence and health care. REMCO also provides technical support services to other local as well as regional companies through training, repair and maintenance services.

REMCO would like to procure Metallics that will help in the factory department during its activities.

2. Tender presentation

Tender must include the following phases and they will be evaluated in the same fashion:

2.1. Administrative phase

All offers must include the following documents.

- a. A company profile
- b. A valid company business registration certificate
- c. A well signed and stamped bid or offer
- d. Evidence of supply of these particular materials all or part to any other customer.

Handwritten signature

The metallics must correspond to the following specifications, any lower

Nº	Item	Description /Specification	Unit Of Measure	Qty
1	Mild steel sheet	1200x2400x20mm	Pcs	67
2	Mild steel angle bars	50x50x4x6000mm	Pcs	14
3	Mild steel pipes	Outside diameter 50x mm thickness	Pcs	4
4	Wired Mesh	Opening 1mm, wire Dia 0.4mm	Pcs	160
5	Wired Mesh	Opening 0.5mm, wire Dia 0.2mm	Pcs	160
6	Wired Mesh	Opening 50mm, wire Dia 3mm	Pcs	80
7	Meshed sheet	2000x1000 x4 mm, opening 50x50 mm	Pcs	40
8	Mild steel round bars	Diameter 120mm	Pcs	40
9	Mild steel round bars	Diameter 100mm	Pcs	160
10	Carbon steel round bars	Diameter 120mm	Pcs	2
11	Galvanized Pipes	Dia 200x4x6000mm		816
12	Galvanized Pipes	Dia 90x3x6000mm		616
13	Stainless steel round bars 304	Dia 10x6000mm		454

Nº	Item	Description /Specification	Unit Of Measure	Qty
----	------	-------------------------------	-----------------	-----



14	Stainless steel round bars 304	Dia 20x6000mm	3
15	Stainless steel sheets 304 with protective fil	1200x2400x1.5mm	16
16	Stainless steel sheets 304 with protective film	1200x2400x2mm	47
17	Stainless steel sheets 304 with protective fil	1200x2400x5mm	3
18	Stainless steel pipes 304	Dia 20x2.5x6000mm	10
19	Stainless steel pipes 304	Dia 30x5x6000mm	2
20	Stainless steel pipes 304	Dia 10x1x6000mm	975
21	Stainless steel pipes 304	Dia 60x5x6000mm	2
22	Stainless steel sheets 304 with protective film	1200x2400x0.4mm	436
23	Stainless steel sheets 304 with protective film	1200x2400x0.8mm	111

Note
1

**Mild steel sheets
1200/2400/6000 MM)**

Item	Specifications	TOT AL
Sheet metal 1.0 MM	(2440x1200x1.0 mm),Mild steel	500
Sheet metal 1.5 MM	(2440x1200x1.5 mm),Mild steel	463
Sheet metal 2.0 MM	(2440x1200x 2.0 mm),Mild steel	334
Sheet metal 3.0 MM	(2440x1200x 3.0 mm),Mild steel	352
Sheet metal 4.0 MM	(2440x1200x 4.0 mm),Mild steel	14
Sheet metal 5.0 MM	(2440x1200x 5.0 mm),Mild steel	8
Sheet metal 6.0 MM	(2440x1200x 6mm),Mild steel	318
Sheet metal 10.0 MM	(2440x1200x 10 mm),Mild steel	185
Sheet metal 16.0 MM	(2440x1200x 16.0 mm),Mild steel	3

Note
2

**Stainless steel Sheets
1200/2400/6000 mm**

Item	Specifications	TOT AL
Sheet metal 1.0 MM	(2440x1200x 1.0 mm) Stainless steel with protective film	110
Sheet metal 1.50 MM	(2440x1200x 1.50 mm) Stainless steel with protective film	140
Sheet metal 2.0 MM	(2440x1200x 2.0 mm) Stainless steel with protective film	200
Sheet metal 3.0 MM	(2440x1200x 3.0 mm) Stainless steel with protective film	60
Sheet metal 3.50 MM	(2440x1200x 3.50 mm) Stainless steel with protective film	30



Sheet metal 5.0 MM

(2440x1200x 5.0 mm) Stainless steel
withy nprotective film

13

Note
3

Mild steel Circular bars 6000 MM Long

Item	Specifications	TOT AL
Circular bar - Mild steel (6m)	Diameter 10 mm	50
Circular bar - Mild steel (6m)	Diameter 15 mm	50
Circular bar Mild steel (6M),	Diameter 20mm	115
Circular bar Mild steel (6M),	Diameter 25mm	3
Circular bar Mild steel (6M),	Diameter 30 mm	88
Circular bar Mild steel (6M),	Diameter 35mm	50
Circular bar Mild steel (6M),	Diameter 40mm	50
Circular bar (Mild steel) - 6m	Diameter 45 mm	100
Circular bar (Mild steel) - 6m	Diameter 50 mm	3
Circular bar Mild steel (6M),	Diameter 60mm	3
Circular bar Mild steel (6M),	Diameter :72mm	75
Circular bar Mild steel (6M),	6m, mild steel, Dia 75mm	1
Circular bar Mild steel (6M),	6m, mild steel, Dia 80mm	15
Circular bar Mild steel (6M),	Diameter 90mm	3
Circular bar Mild steel (6M),	Mild steel - Diameter 100 mm	8
Circular bar Mild steel (6M),	Mild steel, 6m length, Dia 120mm	3

Note
4

Mild steel square bars 6000 mm long

Item	Specifications	TOT AL
Square bar- Mild steel (6m)	10x10 mm	50

Note
5

Stainless Steel Circular BARS 6000 MM Long


Item	Specifications	TOT AL
Circular bar (6M),	Diameter:25mm	33

Note
6

Mild steel Angle bars 6000 MM Long

Item	Specifications	TOT AL
Angle bar(6m)	35x35x5 mm	50
Angle bar(6m)	40x40x3mm	28
Angle bar(6m)	40x40x5 mm	53
Angle bar(6m)	40x40x4mm	16
Angle bar(6m)	45x45x5 mm	50
Angle bar(6m)	50x50x5mm	150
Angle bar(6m)	60x60x5mm	100

12



Angle bar(6m)	55x55x5mm	50
Angle bar(6m)	80x80x6mm	184

Note
7

Stainless steel Angle bars 6000 MM Long

Item	Specifications	TOT AL
Angle bar(6m)	20x20x1mm	30

Note
8

Mild steel C/U Channels 6000 mm long

Item	Specifications	TOT AL
C/U channel	80x40x6 mm	15
C/U channel	80x45x5mm	50
C/U channel	100x50x6mm	25
C/U channel	110x55x5.9mm	50
C/U channel	120x55x7	3

Note
9

Mild steel pipes 6000 mm long

Item	Specifications	TOT AL
Pipe	OD 14 Thickness: 2 mm,	30
Pipe	O.D: 20 & Thickness 1 mm	50
Pipe	OD :22mm,Thickness: 3 mm	25
Pipe	O.D: 25 & Thickness 2.0 mm	80
Pipe	O.D: 35 Thickness 2 mm	50
Pipe	Dia 75mm Thickness 3mm	61
Pipe	OD: 89 mm,Thickness: 2 mm	25
Pipe	Dia 125mm, Thickness 3.2mm	50

Note
10

Stainless steel pipes 6000 mm long

Item	Specifications	TOT AL
Pipe	OD:25mm Thickness 2mm	80
Pipe	Dia:12mm Thicknes 1.5mm,	80

Note
11

Galvanized pipes 6000 MM

Item	Specifications	TOT AL
Metal pipe (galvanized)	Dia 36mm & 4mm Thickness	53
Galvanized pipe	OD: 22 mm and Thickness 2.75 mm	20



Note
12

Mild steel Square tubes 6000 MM Long

Item	Specifications	TOT AL
Square tubes	50x50x1.5mm	50
Square tube	40 x 40 x 4mm	3
Square tubes	20 x 20 x 2mm	3
Square tubes	40x40x3mm	3

Note
13

Mild steel Rectangular tube 6000 MM Long

Item	Specifications	TOT AL
Rectangular tube	60x40x3mm	106

Note
14

Mild steel Wire Mesh 1500/2000 MM

Item	Specifications	TOT AL
Mild steel, Wire mesh sheet	Opening : 4mm , wire Dia: 2 mm	153
Mild steel, Wire mesh sheet,	Opening : 6mm , wire Dia: 4 mm	8
Meshed sheet	Opening 13mm Thickness 2 mm	50
Mild steel, Wire mesh sheet,	Opening : 4mm , wire Dia: 4 mm	8

Note
15

Mild Steel Flat Bars 6000 MM

Item	Specifications	TOT AL
Flat bar	40x3 mm	74
Flat bar	60x3 mm	8

Note
16


H- Channel 6000 MM Long

Item	Specifications	TOT AL
H channel	- 120x64x4.4x6.3mm	16

Note
17

Cast iron Pulleys, V-Belts, Sprockets and chains

Item	Specifications	TOT AL
Pulley Class B	Ø40*Ø205 mm double groove,	25
Pulley Class B	Ø40*Ø80mm single groove,	75
Pulley Class B	Ø30*Ø310mm single groove	50
Pulley Class B	Ø30*Ø205mm single groove	100




Pulley Class B	Ø30*Ø60mm single groove	50
Pulley Class B	Dia 300, Double grooves, Dia 20 pilot hole	50
Pulley Class B	Dia 100, Double grooves, Dia 20 pilot hole	50
Pulley Class B	Dia 200 mm, 20 MM Pilot hole	100
Pulley Class B	Dia 80 mm, Dia 20 Pilot hole	50
Pulley Class B	Dia 300	50
Pulley Class B	Dia 250	50
Pulley Class B	Outer Diameter 300mm, Thickness 59 mm	4
Pulley Class B	Outer Diameter 103, Thickness 59 mm	4
Pulley Class B	Outer Diameter 300mm, Thickness 59 mm	4
Pulley Class B	Outer Diameter 103, Thickness 59 mm	4
Pulley Class B	Dia 100 mm& T40mm	3
Pulley Class B	Dia 300x60 - Type B	3
Pulley Class B	Dia 100x60 - Type B	3
Big sprocket	Big sprocket : 54 Teeth, OD(Outside diameter): 346.63 mm with Pitch 0.75", type B	3
Small sprocket	Small sprocket:15 Teeth; OD(outside diameter): 111.13 mm with Pitch 0.75", type B	3
Chain	Chain : length :2212.05 mm and Pitch of 0.75 ".	3
Belt	Type B, Length (2200-2500) mm	100
V-Belt	Type B, Length: 1070 mm	50
V-Belt	Type B, Length: 920 mm	50
Belt,	Type C - 2185mm	3
Belt	Type C, Length 1340 mm	8
Belt	Length (2200-2500 mm)Rubber, Type B	6
Belt	Type C, Length 1340 mm	8

Note
18

High tensile Bolts ,Nuts and washers

Item	Specifications	TOTAL
Bolt , nut and washer	M16x35 mmm	1000
Bolt ,nut and washer	M12x35 mm	1000
Nut	M14	750
Wing head bolt nut and washer	M8x50 mm	500
Bolt,nut and washer	M20x30	1000
Bolts	M15*50mm	162
Bolts	M20*40mm	108
Bolts	M16*120mm	12
Bolts	M12*30mm	24
Bolt and Nut and washer	M10x35 mm	260
Bolt and Nut and washer	M8x25 mm	60

K



Bolt and Nut and washer	M10x35 mm	260
Bolt and Nut and washer	M8x25 mm	60

Stainless steel bolts , nuts and awashers

Item	Specifications	TOTAL
Stainless steel Bolts, nuts and washers	M8*100mm	60
Stainless steel Bolts, nuts and washers	M10*45mm	24
Stainless steel Bolts, nuts and washers	M10*35mm	12
Stainless steel Bolts, nuts and washers	M10*70mm	12
Stainless steel Bolts, nuts and washers	M6*30 mm	1200


Note:

- REMCO reserves the right to visit any bidder's shop during tender evaluation.
- Bid shall be opened and evaluated in the absentia of bidders.
- All the machines & Tools should be provided together with their material data sheets
- The bids shall be in any other foreign currency:(**Euros, USD**) or Rwandan Francs .

Note:

- REMCO reserves the right to visit any bidder's shop during tender evaluation.
- Bid shall be opened and evaluated in the absentia of bidders.
- The bids shall not be in any other currency apart from Rwandan Francs(RWF) ,Dollars (USD), Euros .
- Specify Incoterms if you not specify you will be rejected
- We need advance payment guarantee if you not mentioned that you will provide you will be rejected

K



All financial offers must be in correspondence to the table above, please provide unit prices, such prices must be competitive and must spell value for money for REMCO.

2. Submission of offers:

Offers must be submitted on **26th july 2024 at 5:00 pm local time to 10th /08/2024**, late offers will be rejected and will not be opened. Offers must be submitted onto the email procurement@remco.rw . Any queries must be addressed to the CEO of REMCO but sent to the same email with info@remco.rw . in copy.

We await your offers.

Signed,.....



RUGAMBA John

CEO