...../ 2024



The Managing Director	
Dear	


RE: Request for Price Quote

Rwanda Engineering and Manufacturing Corporation (REMCO) would like to procure the below mentioned items, please prepare us a quotation following the details as described below and send to us through the email, procurement@remco.rw


S/N	MACHINE DESCRIPTION /DESCRIPTION OF COMMODITY	Unit of measure	QTY
	Automatic used bottle washing machine supplier for beer wine	set	
	glass bottles washer. Production line type 3000-5000 pieces /		
	hour glass bottle washing machine Bottle cleaning method		
	Soaking ,labels removal and rinsing - high speed brushing on the		
	inner wall - rinse and drain and drying Bottle feeding method		
	Manually placed on the conveyor for delivery into the bottle type		
	Ordinary recycling bottle power supply 380V \pm 10 % , 50Hz \pm 1		
	%, three-phase communication, Equipment composition Soak,		
	rinse, internal brush, drain, integrated machine ,conveyor and		
	Equipment composition Soak, rinse, internal brush, drain,		
	integrated machine ,conveyor and electrical control box Bottle		
	specification : (Round bottle equipment needs to be changed		
1	according to the bottle type to make bottles of different diameters		1
	equipment needs to be changed according to the bottle type to		
	make bottles of different diameters Outer diameter: ø50-82mm		
	Height: 180—290mm Diameter of bottle mouth: > 15mm		
	Number of bottles intermittently each time: 8 pieces Net bottle		
	rate: > 99% Bottle broken rate: < 0.9% Power: 9Kw Voltage:		
	380V50HZ Low Water consumption including Steam consumption		
	: < 0.2cbm/h Dimension : 4000*3500*2000mm Replacing some		
	accessories can adapt to more than two bottle types Main material		
	of the machine Frame: SS304 Low-voltage electrical appliances		
	Schneider PLC:Xinjie/Siemens Touch screen : Xinjie/Siemens		
	Pneumatic Components and air compressor included		
2	Diesel Boilers ,300 kg with accessories	set	1

Prime economic zone masoro +250 252 505 577
















0/1):	2. Machine Spares Parts SPARE PARTS DESCRIPTION /DESCRIPTION OF Unit of				
S/N	COMMODITY	measure	QTY		
	The provision of five stainless pump 2m3				
1	/min. (Food Grade) with Motors of 3kw, 3- phase,1480rpm. (3kw	рс	5		
	Sanitary pump)				
2	Stepper Motor for traction (180W, 220V, 1.33A, 90RPM)	рс	2		
3	Food Grade transfer Pumps. (1000L/min) with 3kw motor	рс	4		
4	Geared motor 3kw ,3 Phases	рс	1		
5	Object Sensor (object detector), Inline label photo sensor	рс	2		
6	Piston seals for linear filling machine of banana wine (food grade)	рс	12		
7	Seals for wine filter plate	рс	25		
	Tape rolls (design &printing): using heat-sensitive sticker paper				
	which is faster in printing and allows you to stick the label on the				
8	package directly. (Self adhesive roll paper) virgin to be used for	pc	6		
	testing machine				
	The filters mesh size of (Us Mesh number: 140, 105 Microns and				
9	0.105 m screener size) Food grade (stainless steel filter net) 50m	m	1		
	of roll				
10	Inkjet date and code printer	pc	1		
11	Ink cartridge	рс	3		
12	Air dryer for Filling lines and accessories	рс	2		
13	Hydraulic Oil Heat exchanger, with cooper pipe	рс	2		
14	Compressor with 50-40Ltr/M, 220V,550W and 116 Psi	рс	1		
15	SKF bearing ,330168C SKF 38.112	рс	2		
16	Stainless steel valves ,50 mm of diameter	рс			
17	Stainless steel shaft (Dia =40mm ,2m length		4		
17	2000 mm	pc	1		
18	Conveyor Guards (polymer material) 50m	m	50		
19	DN 50 Valve (Stainless Steel 304) 3mm thickness	рс	10		
Shee	et, Pipe, Fittings and consumabales	unit of			
		measure			











1	Stainless steel sheet 304, 2400x1200x2mm 304(2400x1200x2mm)	pc	7
2	Stainless Steel Plate (Food Grade 304, 2.4*1.2*8mm)	рс	1
3	Stainless steel pipe Food Grade (304) Dia50mm, 6m Length of thickness 3mm	рс	60
	Stainless steel (Unions SS) 30Dia 2mm Thickness	рс	10
4	Mild steel pipe diameter 50 mm,2mm of thickness	рс	20
5	DN50, Elbow (Stainless 304) 3mm thick (50mm of diameter)	рс	20
6	DN50, Union (Stainless Steel 304) 3mm thick (50mm of diameter)	рс	60
7	DN 50 T Joint (Stainless Steel 304) 3mm thick (50mm of diameter)	рс	10
8	Stainless steel (Unions SS) 30mmDia, 2mm Thickness	рс	10
9	Pipe Fittings Stainless (Elbow SS) 30mmDia, 2mm Thickness	pc ·	10
10	WD40, (rust cleaning agent), 400Ml	рс	10
11	Lubricating Agents oil	1	15
12	cutting disc ,230x3x22.3 mm	рс	10
13	Polishing disc, 115 x22.2 mm, 13,300 rpm, Max 80 m/s	рс	10
14	Stainless welding rod 3,2 mm of diameter	kg	10
15	Steel welding rod 3,2mm of diameter	kg	10


Important condition

- Prices must be taxes inclusive and in Rwandan Francs OR USD for international suppliers.
- Ordering is by LPO/IPO.
- Delivery is by supplier or any other agreed upon terms of delivery.
- Payment is by cheque or transfer on agreed upon terms.

Yours Sincerely


JOHN RUGAMBA

CEO **REMCO**





Prime economic zone masoro \$\cup +250 252 505 577



≥ info@remco.rw

